

Trubky

Trubky kruhové elektricky zvarané (kg/m)

Priemer (mm)	Hrúbka steny (mm)						
	1,0	1,2	1,5	2,0	2,5	3,0	4,0
6	0,125						
8	0,174						
10	0,225	0,264	0,319				
12	0,275	0,325	0,394	0,500			
14	0,326	0,385	0,470	0,601			
15	0,351	0,415	0,507	0,651			
16	0,376	0,445	0,545	0,701			
17,2	0,406	0,481	0,590	0,761	0,921		
18	0,426	0,505	0,620	0,801			
20	0,476	0,565	0,695	0,901	1,095		
21,3	0,508	0,604	0,744	0,967	1,177	1,375	
22	0,526	0,625	0,770	1,002			
23	0,551	0,655	0,808	1,051			
25	0,601	0,715	0,883	1,152	1,409	1,653	
26,9	0,649	0,772	0,954	1,247	1,527	1,795	
28	0,676	0,805	0,995	1,302	1,596	1,878	
30	0,726	0,865	1,070	1,402	1,722	2,028	
32	0,776	0,925	1,146	1,502	1,847	2,178	
33,7	0,819	0,977	1,209	1,588	1,953	2,306	2,975
35	0,851	1,016	1,258	1,653	2,035	2,404	
38	0,929	1,106	1,371	1,803	2,222	2,629	
40	0,977	1,166	1,446	1,903	2,348	2,779	3,606
42,4	1,037	1,238	1,536	2,023	2,498	2,960	3,847
43		1,257	1,559		2,536		
45	1,102	1,316	1,634	2,153	2,661	3,155	
48,3	1,184	1,415	1,758	2,319	2,867	3,403	4,438
50	1,227	1,466	1,822	2,404	2,974	3,531	4,607
51	1,252	1,496	1,859	2,454	3,036	3,606	
52	1,277	1,526	1,897	2,504	3,099	3,681	
53			1,935				
54	1,327	1,587	1,972	2,604	3,224	3,831	
57			2,085	2,754	3,412	4,057	5,309
60,3	1,485	1,776	2,209	2,920	3,618	4,304	5,640
63,5	1,565		2,329	3,080	3,819	4,545	5,960
70	1,728	2,067	2,573	3,405	4,226	5,033	6,611
76,1	1,881	2,251	2,802	3,711	4,607	5,491	7,222
80	1,978	2,368	2,948	3,906	4,852	5,784	7,613
84				4,107			
88,9	3,283	4,352	5,409	6,453	8,504		
101,6	3,760	4,988	6,204	7,407	9,776		
104	3,850	5,108	6,354	7,587	10,016		
108			4,001	5,309	6,605	7,888	10,420
114,3			4,237	5,624	6,999	8,361	11,048
129			4,789	6,360	7,919	9,465	12,520
139,7			5,191	6,896	8,589	10,269	13,592
154			5,728	7,612	9,484	11,343	15,024
168,3			6,265	8,328	10,379	12,417	16,456
204,0				10,116		15,249	
219,0				10,873		16,234	
254,0				12,621		18,855	
273,0				13,572		20,283	